Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	414	303/155,162.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/06 06:48
L2	0	1 and (industrial adj truck$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/06 06:48
L3	393	303/191,dig.1,dig.2.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/06 06:48
L4	370	3 not 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/06 06:48
L5	0	4 and (industrial adj truck$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/06 07:17
L6	24	(three adj phase adj motor$1) near advantage$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/06 07:18
L7	0	6 and "303"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/06 07:18
S10	40	(huther-s$1 or manken-f$ or nissen-n$).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 14:04
S11	42	(huther-s$ or manken-f$ or nissen-n$).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 14:16
S12	12	S11 and brak$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 14:19

S13	2852	303/3,5,7,15.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 14:58
S14	17	S13 and (motor same actual same (compar$3 or comparison or comparator$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 14:27
S15	0	(actual with (compar$3 or comparison or comparator$1) with desired with force)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 14:31
S16	1	(actual with (compar$3 or comparison or comparator$1) with desire$1 with force)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 14:32
S17	245	(actual same (compar$3 or comparison or comparator$1) same desire$1 same force)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/30 11:57
S18	35	S17 and (brak$3 same motor$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 14:33
S19	1	("3080019").URPN.	USPAT	OR	OFF	2004/12/20 14:47
S20	14	("3790225" | "4327414" | "4865162" | "4986614" | "4997237" | "5219216" | "5264767" | "5320421" | "5333706" | "5366280" | "5385394" | "5558409" | "5611606" | "5829557").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/20 14:49
S21	60066	("303"/$ or "701"/$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 14:58
S22	36	S21 and (three adj phase adj motor$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 15:04
S23	0	S21 and (motor same actual same desired same force same brak$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 15:04

S24	0	S21 and (actual same desired same force same brak$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 15:04
S25	0	S21 and (actual same desired same force same motor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 15:05
S26	0	S21 and (actual same desired same force)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 15:05
S27	72	S21 and (actual same desire$1 same force)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 15:05
S28	14	S21 and (actual same desire$1 same force same motor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 15:07
S29	4	S21 and (actual with nominal with force with (compar$3 or comparator$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 15:10
S30	6	(actual with nominal with force with (compar$3 or comparator$1)) same motor$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 15:10
S31	290	(actual same (compar$3 or comparison or comparator$1) same desire$1 same (force or torque))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:11
S32	74	S31 and brak$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/30 11:58
S33	20	S31 and ("303"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/30 11:59

S34	25	S31 and "701"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/30 11:58
S35	20	S31 and ("280"/$ or "180"/$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/30 11:58
S36	621	(actual same (compar$3 or comparison or comparator$1) same (desire$1 or nominal) same (force or torque))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:01
S37	43	S36 and ("303"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 08:00
S38	38	S36 and ("701"/$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:26
S39	28	S36 and ("180"/$ or "280"/$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:02
S40	16	S36 and ("303"/$.ccls.) and (front with rear with wheel$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:10
S41	3	(actual same (compar$3 or comparison or comparator$1) same desire$1 same (force or torque) same front same rear same wheel$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:12
S42	940	ichikawa and rpm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:23
S43	1	ichikawa and (front same rear same axle same rpm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:24
S44	1	("5634699").PN.	USPAT	OR	OFF	2004/12/30 12:24

S45	3	("4107776" | "4242995" | "4606322").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/30 12:36
S46	139	("303"/187,188.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 08:01
S47	3	S46 and ((desire$1 or nominal) with actual)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 08:03
S48	36	((desire$1 or nominal) with actual) same (torque with force)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 08:11
S49	601	jungheinrich	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 08:11
S50	0	S49 and ((industial adj truck$1) with brak$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 08:12
S51	87	S49 and (brak$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 08:12
S52	2	S51 and ((nominal or desire$1) with actual)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 08:15
S53	282	303/9.62.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/05 19:46
S54	0	S53 and (actual same (nominal or desire$1) same force same torque)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 08:17

S55	0	S53 and (actual same (nominal or desire$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 08:17
S56	16	S53 and ((nominal or desire$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 08:17
S57	278	(current adj regulator) with characteristic$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 14:18
S58	1	S57 and "303"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 14:05
S59	3	S57 and "701"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 14:05
S60	19	(current adj regulator) and "303"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 14:08
S61	300	(current adj regulator$1) with characteristic$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 14:18
S62	4	S61 and ("303"/$ or "701"/$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 14:23
S63	5	(industrial adj truck$1) and (three adj phase adj motor$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 14:39
S66	3	(("5752588") or ("6102825") or ("5003842")).PN.	USPAT	OR	OFF	2005/01/04 07:07
S67	2	(("3289062") or ("5117163")).PN.	USPAT	OR	OFF	2005/01/04 07:07

S68	5	(industrial adj truck$1) and (brak$3 with lift$3 with height)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 14:11
S69	2	"5057728".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 14:12
S70	0	"1301826."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 14:12
S71	10	"1301826"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 14:12
S72	4	"01301826"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 14:12
S73	16	"362517"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 14:13
S74	10	"446421"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 14:13
S75	82	(brak$4 with monitor$3 with (error or failure) with (steering or device or pedal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 14:18
S76	1	S75 and ((industrial adj truck) or lorry)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 14:16
S77	9	(brak$4 with monitor$3 with (error or failure) with (steering or device or pedal) with emergency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 14:26
S78	2	(("5752588") or ("6102825")).PN.	USPAT	OR	OFF	2005/01/04 14:19

S79	0	(brak$4 with (monitor$3 adj device) with (error or failure) with emergency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 14:27
S80	23	(brak$4 with (monitor$3 adj device) with (error or failure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/05 19:30
S81	2	(("5752588") or ("6102825")).PN.	USPAT	OR	OFF	2005/01/05 17:08
S82	2	(("6554047") or ("6527035")).PN.	USPAT	OR	OFF	2005/01/05 17:46
S83	1	("6740125").PN.	USPAT	OR	OFF	2005/01/05 17:46
S84	38	(brak$4 with (monitor$3) with (error or failure) with (emergency or assist$3 or auxiliary))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/05 19:31
S85	60	303/9.62.ccls. and (failure$1 or error$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/05 19:51
S86	580	(front with rear with brak$3 with (failure$1 or error$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/05 19:51
S87	80	(front with rear with brak$3 with (failure$1 or error$1) with (emergency or auxiliary or increased or assist$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/05 20:03
S88	202	((emergency or auxiliary or increased or assist$3) with brak$3 with (time near delay))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/05 20:07
S89	57	S88 and "303"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/05 20:03
S90	3	((emergency or auxiliary or increased or assist$3) with brak$3 with (time near delay near (member or device)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/05 20:10

S91	56	((emergency or auxiliary or increased or assist$3) with brak$3 with (time with delay with (member or device)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/06 06:47